


TAPA SONDA CON TORNILLO
SCREW DOWN GAUGE HATCH
TRAPPES DE JAUGEAGE Á PÉDALE


Modelo - Model - Modèle


4100

| MODELO MODEL MODÈLE | TAMAÑO SIZE TAILLE | B | C | D | E | F | G | H | J |
|---------------------------|--------------------------|-----|-----|----|----|-----|----|----|-----|
| | DN | mm | mm | mm | mm | mm | mm | mm | mm |
| 4104 | 4" | 225 | 243 | 45 | 12 | 154 | 18 | 25 | 184 |
| 4106 | 6" | 285 | 303 | 45 | 12 | 154 | 22 | 26 | 238 |
| 4108 | 8" | 340 | 355 | 47 | 14 | 156 | 22 | 26 | 295 |



PRESIÓN DE TARADO: ± 30 MM C.A.
SET PRESSURE: ± 30 MM W.G
PRESSION DE RÉGLAGE : ± 30 MM C.E.








TAPA SONDA CON TORNILLO
SCREW DOWN GAUGE HATCH
TRAPPES AVEC VERROUILLAGE

Modelo - Model - Modèle

4200

| MODELO MODEL MODÈLE | TAMAÑO SIZE TAILLE | B | C | D | E | G | H | J |
|---------------------------|--------------------------|-----|-----|----|----|----|----|-----|
| | DN | mm | mm | mm | mm | mm | mm | mm |
| 4204 | 4" | 225 | 243 | 45 | 12 | 18 | 25 | 184 |
| 4206 | 6" | 285 | 303 | 45 | 12 | 22 | 26 | 238 |
| 4208 | 8" | 340 | 355 | 47 | 14 | 22 | 26 | 295 |





TAPA SONDA CON TORNILLO
SCREW DOWN GAUGE HATCH
TRAPPES AVEC VERROUILLAGE

Modelo - Model

4200FE

| MODELO MODEL MODÈLE | TAMAÑO SIZE DN | B mm | C mm | D mm | E mm | G mm | H mm | J mm |
|---------------------------|----------------------|---------|---------|---------|---------|---------|---------|---------|
| 4204FE | 4" | 225 | 243 | 45 | 12 | 18 | 25 | 184 |
| 4206FE | 6" | 285 | 303 | 45 | 12 | 22 | 26 | 238 |
| 4208FE | 8" | 340 | 355 | 47 | 14 | 22 | 26 | 295 |

